

Sysadministrivia

Linux, Lagers, and Late Nights

S2E6: "Merry-Go-Round-Robin"

Posted 2017-05-08 03:59

Modified 2017-05-07 20:43

Comments 0

Navigation

Previous Episode	Next Episode
S2E5: "Suck my Disk"	S2E7: "Projecting Insecurities"

Log

Recorded (UTC)	Aired (UTC)	Editor
2017-04-27 02:30:10	2017-05-08 03:59:00	"Edita"

Verification

Format	SHA256	GPG	Audio File
MP3	f4a08caa54839c14f0ed614e3e148b0238eba94486252ee71e680d4901d7ef5d	click	click
OGG	60afc2acc24e0035f3b1c5d94245561935766db057429beb5dbaab4bb0a73c13	click	click

Quicklisten:

We talk about different ways of addressing HA (high-availability) at the network layer, UUIDs, and AppArmor

- News
- Notes
- Sysbadadministration Award
- Errata
- Music

News

- Schools are "breeding grounds" for IT professionalism but also rich targets for attackers
- Bricker bot is back
- There is a draft being composed about increasing security (and it actually looks promising)
- Pentesting is (thankfully) starting to catch on
- Bose wireless headphones leak signal
- There are design flaws in Lastpass 2FA
 - And precisely zero surprise here; Lastpass is trash
- The AV software Webroot marks Windows system files as malicious

Notes

Starts at **18m06s**.

I was drinking Bulleit bourbon (10-year). Paden was drinking Glenlivet Single-malt 12-year again. Jthan was drinking Alaskan Summer Ale (which he turned into a yorsh).

- We discuss ways of addressing some high-availability methods on the network level
 - We discuss anycast, multicast, and unicast
 - Anycast is probably the one you want if you're doing geographical-sensitive routing
 - Multicast can be useful for heartbeating within a cluster
 - And unicast is direct host-to-host, which will give you the most accurate reporting for a host being up/down but can put more load on the availability controller depending on how many hosts it has to keep track of
 - We also talk about how to handle load balancing and failover
 - We do a sort of "case-study" which is what got Jthan interested in it in the first place- he wants to do failover (and/or load balancing) for data processors in front of a shared SAN
 - We also discuss "poor-man's HA", via things like round-robin DNS and ARP switching
 - Which DigitalOcean is trying to pass off as something new
 - If you do work in HA, please contact us!
- We talk a bit about UUIDs (**36m22s**)
 - This is what a UUID looks like: 61a058c9-ec40-4675-85be-5fb8f52405a2
 - They differ from hashes in that they're implementation-specific, and one resource may have different UUIDs in different implementations (whereas an e.g. SHA256 is always going to evaluate to the same thing given the same data). More info on UUIDs in disk usage specifically can be found

here.

- You can generate a UUID with a couple different tools. e2fsprogs has **uuidgen**, python has the uuid module, etc.
- The mdadm thing Jthan mentioned is this.
- We also talk about AppArmor (**45m54s**)
 - Jthan is correct, SuSE actually originally developed it.
 - If you want to hear us yammer on more about SELinux and GRSecurity/PaX here.
 - You can see an interesting case study on SELinux here, here, and here.
 - SELinux is a lot more intricate than Jthan realizes, I think.

Sysbadadministration Award

In this segment, we highlight system administration mistakes. Think of them as the IT equivalent of the Darwin Awards. (**54m30s**)

A sysadmin installed malware and RATs to find out if he'd be included in the upcoming layoffs - the irony is that he wasn't going to be initially, but this definitely got his stupid ass fired.

Errata

- None!

Music

Music Credits

Track	Title	Artist	Link	Copyright/License
Intro	Synthetic Feels	Sro	click	CC-BY-SA 4.0
Outro	People Are my Koolaid	We Is Shore Dedicated	click	CC-BY-SA 4.0

(All music is royalty-free, properly licensed for use, used under fair use, or public domain.)

Author r00t^2

Categories Season Two

Comments

There are currently no comments on this article.